



Lead Sample Collection Information

School District Name: Toledo School District

School Name: Toledo High School

School Code: 2616

Address: 1242 State Route 505 Toledo, WA 98591

Number of Samples Collected: 10

Date Collected: 2/14/2018

Sample number	Sample ID	Sample Type	Fixture Description	Fixture Location	Lead Content (ppb)	Date of Analysis	Notes/Comments
Sample 1	1696	First Draw	Tap	Kitchen	7	2/17/2018	Tap to Right of Dish Washing Machine
Sample 2	1697	First Draw	Bubbler	Commons	4	2/17/2018	Next to Award Plaques
Sample 3	1698	First Draw	Bottle Filler	Commons	5	2/17/2018	Next to Award Plaques
Sample 4	1699	First Draw	Bubbler	Gym	4	2/17/2018	
Sample 5	1700	First Draw	Bubbler	Near Counselor's Room	9	2/17/2018	
Sample 6	1701	First Draw	Tap	Home Economics	12	2/17/2018	Left Most, Nearest door
Sample 7	1702	First Draw	Tap	Home Economics	12	2/17/2018	2nd From Door
Sample 8	1703	First Draw	Tap	Home Economics	18	2/17/2018	3rd, In corner
Sample 9	1704	First Draw	Tap	Home Economics	64	2/17/2018	4th from door
Sample 10	1705	First Draw	Tap	Home Economics	63	2/17/2018	Furthest from Door